


1-800-383-7323 USA/CAN www.energizer.com

Eveready 510S



Industry Standard Dimensions



CLASSIC

Chemical System: Zinc-Manganese Dioxide (Zn/MnO2)

(No Added Mercury or Cadmium)

Designation: ANSI-915, IEC-4R25

Battery Voltage: 6.0 Volts

Operating Temp: -18°C to 55°C (0°F to 130°F)

Average Weight: 600 grams (21.2 oz.)

Volume: 488 cubic centimeters (30 cubic inch)

Average Capacity: 11 Ah to 0.8 volts / cell

(Rated at 25k ohms continuous at 21°C)

Cell: Four No. 60 (size "F") in series

Jacket: Plastic


INTERNAL RESISTANCE VS. TEMPERATURE

The measurement is an approximation of the battery's actual internal resistance. It is sensitive to the loads and operator technique.


Schedule: Background Load 600 ohms
Pulse Load 10 ohms
Pulse Duration 1 second

Temperature	Typical Ri (ohms)
45°C (113°F)	0.7
21°C (70°F)	0.8
0°C (32°F)	1.0
-21°C (-4°F)	10.0

CYLINDRICAL TUBE 82.6 DIAMETER x 101.6 LONG.



CONSTANT CURRENT DISCHARGE



Important Notice

This data sheet contains information specific to batteries manufactured at the time of its publication.

Contents herein do not constitute a warranty.


Form No. EBC - 3106E Page 1 of 2




1-800-383-7323 USA/CAN www.energizer.com

Eveready 510S

Typical Applications





Important Notice

This data sheet contains information specific to batteries manufactured at the time of its publication.

Contents herein do not constitute a warranty.

Form No. EBC - 3106E Page 2 of 2