


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL INTERNATIONAL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
—	—		A	INITIAL RELEASE	25FEB11	GSK	RH

NOTE:

- PACKAGING ACC. TO TE SPEC.107-18032  
BUNDLE EVERY 25 ASSEMBLIES WITH A RUBBER BAND
- ELECTRICAL TEST CONTAINING "SHORT CIRCUIT TEST, CONTINUITY AND ACCURATE CAVITY ASSIGNMENT TEST" ACC. TO TE-SPEC.108-18857, SUBSECTION 3.1.1
- WIRING SCHEDULE AS SHOWN
- ASSEMBLY IN COLORS BLACK AND WHITE



UOM	QTY	QTY	DESCRIPTION	POS.
	2--X	1--X		
FT	L	—	CABLE LIYY 4xAWG22 UL 2464 WH	7
FT	—	L	CABLE LIYY 4xAWG22 UL 2464 BK	
PC	4	4	MICRO QUADLOK SYSTEM PIN CONTACT	6
PC	4	4	MICRO QUADLOK SYSTEM SOCKET CONTACT	5
PC	1	1	4 POS. LOW VOLTAGE CONN.M.POSITIONER	4
PC	1	1	4 POS. LOW VOLTAGE CONN.F.POSITIONER	3
PC	—	1	4 POS. LOW VOLTAGE MALE CONN.HSG BK	2
PC	1	—	4 POS. LOW VOLTAGE MALE CONN.HSG WH	
PC	—	1	4 POS. LOW VOLTAGE REC.CONN.HSG BK	1
PC	1	—	4 POS. LOW VOLTAGE REC.CONN.HSG WH	

WIRING SCHEDULE  $\Delta$ 3

SIDE A	COLOR	SIDE B
M1	BN	F1
M2	RD	F2
M3	OG	F3
M4	BK	F4

PN	L/ft	TOLERANCES/ft
X-2083136-1	2	+/-0.01
X-2083136-2	4	+/-0.02
X-2083136-3	8	+/-0.03
X-2083136-4	12	+/-0.05

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	± -
1 PLC	± -
2 PLC	± -
3 PLC	± -
4 PLC	± -
ANGLES	± -
FINISH	-

MATERIAL: -

DWN: 25FEB11 SATHISH KUMAR.G  
 CHK: 02MAR11 R.HOSSAINI  
 APVD: 02MAR11 R.HOSSAINI

**Tyco Electronics**  
 Tyco Electronics AMP GmbH  
 64625 Bensheim (Germany)

NAME: CABLE ASSEMBLY NECTOR S LINE UL 4 POS., MALE TO FEMALE

PRODUCT SPEC: -  
 APPLICATION SPEC: -

SIZE: A3 CAGE CODE: 00779 DRAWING NO: C-2083136 RESTRICTED TO: -

WEIGHT: -

CUSTOMER DRAWING SCALE: NTS SHEET: 1 OF 1 REV: A